

PUK 4LT 12V 7W LED WW U/CAB KIT

SKU# 178280

Rated Voltage 12V DC, 0.58A


To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this product. Please keep instructions for future reference.

Warranty

- This portable luminaire is covered by a 5-year warranty valid for in-store replacement or refund only.
- The warranty period starts from the date of purchase. Please retain the proof of purchase for any warranty enquires.
- The warranty will be void, if there is any damage due to improper usage or modification to the luminaire.
- Failure to comply with the instructions in this manual may increase the risk of damage or injury and will void the warranty.

Installation Requirements

- This luminaire must be assembled and installed by a licensed electrician.
- Select a suitable location for installation:
 - This luminaire is suitable for indoor use only.
 - The mounting point must support 2 times the weight of the luminaire.
 - If installing a luminaire in an area prone to moisture, ensure that the area is well ventilated, and an appropriately rated exhaust fan is used if required. Damage or corrosion caused by moisture is not a product fault, and as such is not covered under warranty.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure no components are missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the luminaire has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.



Installation Directions

1. Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material. If assembly is required, place the luminaire on a smooth non-scratch surface.
2. Select a suitable location for installation, ensuring that it is dry, well-ventilated, and near a power point
3. Using the wooden screws (A) provided, securely fasten the metal mounting brackets to the desired surface.
4. If mounting via the 3M stickers provided (B). Place the stickers onto the light, then stick to the desired surface.
5. Insert the Lead (C) into the splitter (E).
6. Connect the output plug of the LED controller (G) into the DC power adapter input (H), and then plug the adapter (I) into the desired power point.
7. Use the LED controller to switch the lights on/off, adjust the colour temperature, and control the dimming level.
8. Once everything is connected, test the light to ensure proper operation. Adjust the light colour or placement as needed.

Safety Tips

- Always ensure the power is OFF and the luminaire has cooled down before performing any maintenance, cleaning or making any adjustment to the luminaire.
- To avoid injury or damage to the luminaire, ensure power leads and screws are secure before connecting power.
- Select a suitable location away from liquids and hazards.
- To clean, wipe with a damp clean cloth. Do NOT soak or immerse the luminaire in water or other liquids.
- Ensure that the luminaire does not come in contact with corrosive chemicals/solvents or abrasive cleaners etc.
- The light source of this luminaire is not replaceable; when the light source reaches its end of life, the whole luminaire shall be replaced. There are no serviceable parts, do not attempt to dismantle or open the product.

Specifications			
SKU #	178280		
Colour	White		
Rated Voltage	12V DC		
Rated Wattage	7W		
LED Specs	Colour shifting (3000K-4000K-5000K) LEDs, CRI>90		
Colour Temperature	3000K	4000K	5000K
Rated Lumens (Per Light)	50lm	40lm	50lm
Driver	Model: XY15SR-120100VH-AW Input: 220-240V 50/60Hz 0.3A Output: 12V DC 1A 12W		
Accessories included	X 9 Mounting screws X 4 - 3m tape		
IP rating	IP20		
Weight	0.45kg		
Luminaire Dimensions per disk	D:75mm H:9mm		